



FOR A SOLUTION OF WONDERFUL ENGINE...

MISSION

"The Right Lubricant, Every Time":
Offer a wide range of lubricants, expert advice,
and tailored solutions to meet diverse customer needs.

VISION

To be the foremost Indian lubricant manufacturing company most admired for
its quality Products, reliable performance and best services with a prospective of
global excellence.

ALL OILS ARE AVAILABLE IN PACK SIZE OF

100 ml, 175 ml, 250 ml, 350 ml, 500 ml, 800 ml, 850 ml, 900 ml, 1 Ltr, 1200 ml, 1400 ml, 1500ml, 2 Ltr., 2.5 Ltr., 3 Ltr.,
3.5 Ltr., 4 Ltr., 5 Ltr., 7.5 Ltr. 8.5 Ltr., 10 Ltr., 15 Ltr., 20 Ltr., 26 Ltr., 55 Ltr., 210 Ltr.

OIL PACKAGING

100ML	30 X 4	120 PCS.	1200ML	1 X 20	20 PCS.
175ML	30 X 4	120 PCS.	1400ML	1 X 15	15 PCS.
250ML	25 X 4	100 PCS.	2.5 LTR.	1 X 8	8 PCS.
350ML	20 X 4	80 PCS.	3 LTR.	3.5 LTR.	6 PCS.
500ML	800ML	25 PCS.	4 LTR.	5 LTR.	4 PCS.
850ML	900ML	1 LTR.	20 PCS.		

GREASE PACKAGING

100 GM	120 PCS.	1 KG	18 PCS.
200 GM	80 PCS.	2 KG	12 PCS.
250 GM	36 PCS.	3 KG	04 PCS.
500 GM	36 PCS.	5 KG	04 PCS.

SPRAY PACKAGING

150 ML	100 PCS.	400 ML	36 PCS.
--------	----------	--------	---------

OUR PRODUCT RANGE

BASE OIL :

Group I, II, III,
(SN500 W/Y)
(SN150 W/Y)
(SN600 WHITE)



ADDITIVE :

Engine Oil Additives
Multi Purpose Engine Oil
Gear Oil Additives
Hydraulic Oil Additives
Cutting Oil Additives
Transmission Oil Additives


DYES :

Red Liquid Dye
Orange Liquid Dye
Gold Liquid Dye
Coolant Liquid Dye
(Waterbase)



ADDITIVE COMPONENTS :

VII(viscosity Index Improver 25-28 SSI)
VII(viscosity Index Improver 37-40 SSI)
TBN 400 (Magnesium Petrosulfonate)
TBN 400 (Calcium Petrosulfonate)
PPD (Power Point Depressant)
ZDDP (Anti-wear Additive)



POLYMER : 141, 132

• LAB TEST FACILITY IS ALSO AVAILABLE

OUR PRODUCT RANGE PREMIUM SEGMENT

TWO WHEELER ENGINE OIL

- 20W-40 SL • 15W-50 SN
- 20W-40 SM • 10W-30 SYN
- 20W-40 SN • 10W-40 SYN
- 20W-50 SN • 5W-30 SN

SYNTHETIC CAR ENGINE OIL

- 0W-20 • 5W-30 • 10W-30
- 0W-40 • 5W-40 • 10W-40

HEAVY DUTY ENGINE OIL

- 20W-40 CI-4 / SN
- 15W-40 CI-4+ / CH-4 / CF-4
- 20W-40 CH-4 Tractor Oil

GEAR OIL

- Gear Saver 90/140
- Gear Saver 75W-90/85W-140
- Gear Saver 100/150/220/320/460
- Gear Saver 80W-90

INDUSTRIAL OIL

- Cutting oil - state • Water soluble cutting oil
- Transmission oil • Transformer oil
- Grinding oil • CNC Lubricant - (Way-68)
- Thermic Oil • RPO (Rubber Process Oil)
- Quenching oil • Hytherm 500

HYDRAULIC OIL

- HYDRA - 32 • HYDRA - 68 • HYDRAULIC - 100
- HYDRA - 46 • HYDRA - 150 • HYDRAULIC - 10W

SPECIAL PRODUCTS

- BRAKE OIL • POWER STEERING OIL
- CNG OIL • SPRAY TYPE LUBRICANT
- COMPRESSOR OIL • DIESEL EXHAUST FLUID (DEF)
- FRONT FORK OIL • PUMPSET OIL
- COOLANT

TEXTILE OIL

- LOOMS OIL (460/150) • SILICON OIL
- EMBROIDERY OIL • WARPING OIL
- SPINDLE OIL (10/12) • CONNING OIL
- RO CHEMICAL (WATERJET)

INDUSTRIAL & AUTOMOTIVE GREASE

- Multi Special Grease(calcium) • Hammer Grease (lithium)
- Chassis Grease(calcium) • Long Life Grease Special (lithium Complex) 100000km*
- Red Gel/gel Grease (calcium) • H.T. Moly Grease (organic)
- Wheel Bearing Grease(sodium) • H.T. Moly Grease (moly)
- Graphite Grease-0/1/2/3 (calcium) • H.T. Moly Premium (organic)
- High Temperature Grease (lithium) • Poly Urea 100/460 Grease (lithium Complex With Moly)
- Semi Lithium Grease(semi Lithium) • Ep-metallic Grease 1/2/3 (metallic)
- Ap-3 Grease(lithium) • Tcz-50(lithium Complex)
- Ep-0/00/000 Grease(lithium) • Silicon Grease(silicon)
- Ep-1/2 Grease(lithium) • Petroleum Jelly Grease (white/yellow)
- Titanium-3 Red Grease (lithium) 60000km*
- Titanium-222/333 Blue Grease (lithium)

MOTORCYCLE ENGINE OIL

PREMIUM SEGMENT

- Protection gives you option to go longer with smooth performance
- Specially developed specification for 4-stroke motorcycle oil formulated with synthetic blend
- Cling and protect cling all riding condition Flight deposits and provide superior during running.
- Enhanced Engine life & High Fuel Efficiency.
- BS6 Ready



VOLUBIT - M

20W-40 API SN



VOLUBIT - M

20W-40 API SM



VOLUBIT - L

20W-40 API SL



VOLUBIT - SN

10W-40 API SN



VOLUBIT - SYN

10W-30 API SN





VOLUBIT

10W-30 API SN



VOLUBIT

5W-30 API SN



VOLUBIT-S

20W-50 API SN




VOLUBIT

15W-50 API SN

MOTOR CAR ENGINE OIL

PREMIUM SEGMENT

- Maximum Strong Protection for New-Gen Automotive Vehicles for better ride experience.
- Protect the engine components from sludge, rust & corrosion.
- This high-temperature stability makes our motor oil a necessity to properly lubricate a turbo charger or hot-running engine.
- BS6 Ready



VOLUBIT

0W-20 API SN/SP



VOLUBIT

0W-40 API SN / CI



VOLUBIT

10W-30 API SN / CH



VOLUBIT

5W-30 API SN / CI-4




VOLUBIT

10W-40 API SN / CI



VOLUBIT

5W-40 API SN / CI-4



VOLUBIT

20W-50 API SN / CF



HEAVY DUTY VEHICLE ENGINE OIL

PREMIUM SEGMENT

- Topmost Powerful Protection for heavy duty engine to get better ride on long ways.
- Made for Heavy Duty Vehicles, Tractors, CNG Vehicles.
- Designed for modern, low-emission, turbocharged heavy-duty vehicle engines using a blend of synthetic oils.
- Prevents the buildup of sludge and deposits, keeping engines clean and extending their lifespan.
- Performs excellently in all weather conditions, especially in cold temperatures, thanks to enhanced properties
- BS6 Ready



VOLUBIT

15W-40 API CI-4+



VOLUBIT

15W-40 API CH-4



VOLUBIT

15W-40 API CF-4



VOLUBIT

TRACTOR OIL

20W-40 API CH-4



VOLUBIT

20W-40 API CI-4 / SN

SPECIAL PRODUCT

PREMIUM SEGMENT



BLACK GOLD LAL GHODA

20W-40 API SS/FC



RED-X 2T CNG OIL



PUMP SET

20W-40



D.E.F.

DIESEL EXHAUST FLUID AUS-32




POWER STEERING OIL

TQ OIL TRANSMISSION OIL



COOLANT 1:4 / 1:9

ANTI-FREEZE COOLANT



BRAKE OIL DOT-3 / 4 / 5



FORK OIL

SHOCKER OIL



HYDRAULIC OILS

PREMIUM SEGMENT

- The Hydraulic series are top-notch lubricating oils made for use in hydraulic systems found in industries and circulating systems.
- Outstanding ability to resist rust and corrosion.
- Exceptional stability against oxidation.
- Outstanding capability to release air and resist foaming.
- BS6 Ready



VOLUBIT

HYDRAULIC OIL

HYDRA - 32 / 46 / 68 / 150
HYDRAULIC - 10W / 100



CHAKDO OIL



MOTOSHAKTI

20W-40

VOLUBIT AUTOMOTIVE & INDUSTRIAL SPRAY

PREMIUM SEGMENT



RUST CLEANER

MULTI CLEANER SPRAY TYPE



CHAIN SPRAY SPRAY TYPE

VL-40 - SPRAY MULTI-USE PRODUCT

SYNTHETIC ENGINE OIL

PREMIUM SEGMENT

- Fully Synthetic Engine Oil Specially Designed for modern generation vehicles.
- Superior Protection Formula and cleanliness for your automotive, motorcycle or marine engine.
- Enhanced emission controls system life minimizes inventory costs.
- BS6 Ready



VOLUBIT

5W-30 API SN / CF-4



VOLUBIT

5W-40 API SN / CI-4



VOLUBIT

15W-40 API SN / CK-4

GEAR OILS

PREMIUM SEGMENT

- Outstanding thermal and chemical stability
- Effective prevention of rust and corrosion, minimizing wear and prolonging component lifespan
- Gear Saver Gear Oil is ideal for Spiral Level and Double Reduction Gears, as well as Final Drives. It's a straight mineral lubricant meeting APL Services Categories GL-5 with convenient viscosity for varied loads and temperatures. Offers reliable gear protection in both high and low-speed, high and low-torque operations.



VOLUBIT

GEAR SAVER

EP - 90 / 140 / 150 / 220

EP - 75W90 / 80W-90 / 85W-140




TEXTILE INDUSTRIAL OIL

PREMIUM SEGMENT

- Maximize textile production efficiency with our high-quality industrial oils, engineered for durability and peak performance. From weaving to spinning, our specialized oils ensure smooth operation and maximum productivity for your machinery.



VOLUBIT
LOOMS OIL - 460



VOLUBIT
SPINDLE OIL - 10 / 12



VOLUBIT
WARPING OIL



VOLUBIT
EMBROIDERY OIL



VOLUBIT
YARN OIL



VOLUBIT
CONNING OIL



VOLUBIT
KNITTING OIL



VOLUBIT
GEAR OIL - 100 / 150 / 220
320 / 460 / 680



AUTOMOTIVE GREASE

PREMIUM SEGMENT

• Available Pack Size :

100g, 200g, 250g, 500g, 1 kg, 2 kg, 3 kg, 5 kg, 10 kg, 18 kg, 180 kg.



MP-3 Grease
CALCIUM

DROP POINT : 110-120 °C



AP-3 Grease
LITHIUM

DROP POINT : 195-210 °C




Graphite Grease
0/1/2/3 CALCIUM

DROP POINT : 105 °C



HT NON SOAP MOLY
GREASE - MOLY

DROP POINT : 325+ °C



Red Gel / Gold Grease
CALCIUM

DROP POINT : 110-120 °C




EP-2 GREASE
LITHIUM

DROP POINT : 175-190 °C



POLY URIA - 100 / 460
LITHIUM

DROP POINT : 243-257 °C




PETROLEUM GELLY
GREASE - GELLY

DROP POINT : 44-60 °C




Wheel Bearing Grease
SODIUM

DROP POINT : 175-190 °C



EP-0 / 00 / 000 GREASE
LITHIUM

DROP POINT : 190-210 °C



TITANIUM - 222 / 333 Grease
BLUE - LITHIUM COMPLEX

DROP POINT : 250-280 °C



LITHIUM COMPLEX MOLY
GREASE - MOLY

DROP POINT : 250-280 °C



CHASSIS GREASE
CALCIUM

DROP POINT : 108-120 °C




TITANIUM - 3 GREASE
LITHIUM

DROP POINT : 220-240 °C



HIGH TEMPERATURE
GREASE - LITHIUM

DROP POINT : 260 °C



HAMMER GREASE
LITHIUM

DROP POINT : 190-210 °C

INDUSTRIAL OILS

PREMIUM SEGMENT

- Enhance industrial operations with our high-quality oils, crafted for durability and peak performance across various applications. From heavy machinery to intricate processes, our specialized oils ensure smooth operation and maximum productivity, optimizing your industrial workflow.



VOLUBIT
CNC WAY LUBRICANT



VOLUBIT
COMPRESSOR OIL



VOLUBIT
VACUUM PUMP OIL



VOLUBIT
TRANSMISSION OIL

VOLUBIT
CUTTING OIL

VOLUBIT
TRANSFORMER OIL

VOLUBIT
HYTHERM 500

VOLUBIT
GRINDING OIL

VOLUBIT
NEAT CUTTING OIL

VOLUBIT
THERMIC OIL

VOLUBIT
METALWORKING FLUIDS

VOLUBIT
QUENCHING OIL

VOLUBIT
SUGAR MILL OIL



BRAKE SHOE TWO WHEELER

PREMIUM SEGMENT



VOLUBIT

BIKE POLISH



VOLUBIT

**ALL TYPES OF MOTORBIKE
BRAKE SHOE AVAILABLE**

DIESEL - AIR - CABIN - OIL FILTERS

PREMIUM SEGMENT



VOLUBIT

TRACTOR DIESEL FILTER



VOLUBIT


TRACTOR OIL FILTER



WE ARE
NOW AVAILABLE IN
MORE COUNTRIES !!!

INDIA & ALL OVER THE WORLD

VOLUBIT LUBRICANTS NETWORK



VOCAL
FOR
LOCAL

**EXPORTING QUALITY PRODUCT TO 12+ COUNTRIES
WITH EXCELLENT STAFF & MANAGEMENT.**



**MR. SHAILESH
DHOLA**
C.E.O.



**MR. NILESH
DHOLA**
DIRECTOR



MANAGEMENT & MARKETING TEAM



PRODUCTION TEAM



ATMANIRBHAR BHARAT AWARD - 2023



LOCAL FOR VOCAL AWARD - 2020



BUSINESS EXCELLENCE AWARD - 2024

RECOMMENDATION FOR CAR SEGMENT

MARUTI	
Wagonr	2.9 Ltr.
Dzire	3.1 Ltr.
Eco Petrol	4.2 Ltr.
Alto	3 Ltr.
S-Presso	2.8 Ltr.
Brezza	3.2 Ltr.
Ertiga	3.2 Ltr.
Celerio	3.4 Ltr.
Baleno	3.1 Ltr.
XI-S	3.1 Ltr.
Swift	3.6 Ltr.
Ciaz	3.2 Ltr.
Ignis	3.8 Ltr.
S-Cross	3.1 Ltr.
Omni-800	3.0 Ltr.
Sx4 D	4.3 Ltr.
Ertiga D	3.2 Ltr.
Dzire	3.2 Ltr.
Ritz D	3.2 Ltr.

5W-30 / 5W-40 / 20W-40
15W-40 / 20W-50
EP-90 / 80W-90

HYUNDAI	
Tuscon	4.2 Ltr.
Kona	4.8 Ltr.
Elentra	4.2 Ltr.
Creta	4.8 Ltr.
Venue	3.6 Ltr.
Grand i-10	3.5 Ltr.
Verna	3.3 Ltr.
Aura	3.6 Ltr.
Santro	3.1 Ltr.
G-i 10 Nios	3.6 Ltr.
i-20	3.6 Ltr.

5W-30 / 5W-40
15W-40 / 20W-50
EP-90 / 80W-90

TOYOTA	
Yaris	3.2 Ltr.
Camry	4.4, 5 Ltr.
Fortuner	5.6 Ltr.
Vellfire	4.3 Ltr.
Chrysler	5.9 Ltr.
Innova D	6.9 Ltr.
Innova P	5.9 Ltr.
Etios P	2.9 Ltr.
Etios D	3.9 Ltr.
Corolla P	4.0 Ltr.
Corolla D	4.2 Ltr.
Qualis D	5.0 Ltr.
Liva P	2.9 Ltr.
Liva D	3.9 Ltr.

5W-30 / 5W-40
15W-40 / 20W-50
EP-90 / 80W-90

NISSAN	
Sunny P	3 Ltr.
Micra P	3 Ltr.
Evalia P	3 Ltr.
Sunny D	4.5 Ltr.
Micra D	4.5 Ltr.
Evalia D	4.5 Ltr.

5W-30 / 5W-40
20W-40 / 15W-40
EP-90 / 80W-90

FIAT	
Punto P	3.2 Ltr.
Punto	3.5 Ltr.
Linea D	3.5 Ltr.
Linea P	3.2 Ltr.

5W-30 / 5W-40
20W-40 / 15W-40
EP-90 / 80W-90

TATA	
Indica P	4 Ltr.
Indigo P	4 Ltr.
Indica D	5.5 Ltr.
Indigo D	5.5 Ltr.
Marina D	5.5 Ltr.
Vista D	5.5 Ltr.
Indica ECS/Dicor	5.5 Ltr.
Safari Oil D	7.5 Ltr.
Safari Dicor Storm	7.5 Ltr.
Sumo Spacio	7.5 Ltr.
Nano P	2.5 Ltr.
Indica Vista	3.3 Ltr.
Manza D	3.3 Ltr.
Vista P	2.6 Ltr.
Manza P	2.6 Ltr.
Nexon D	6.5 Ltr.
Nexon P	5.5 Ltr.
Tigor P	3.5 Ltr.
Tigor D	4 Ltr.
Tiago	3.5 Ltr.
Altroz	3.5 Ltr.
Harrier	5 Ltr.

5W-30 / 5W-40 / 20W-40
15W-40 / 20W-50
EP-90 / 80W-90

RECOMMENDATION FOR 2 WHEELERS

HERO	
Splendor	
CD 100	
JOY	
CD DAWN	
Passion	
Street	
Achiever	
CBZ Xtreme	
Hunk	
Impulse	
Glamour	
Ambition	
Pleasure	
Meastro	

TVS	
Scooty	Flame
Pep	Victor Glx
Streak	Edge 125
Teenz	Apache 150
Victor	Wego
Phoenix 125	Jive
Spectra	Flame
Sport	Super Champ
Star	Euro Champ
Star City	Samurai
Star Sport	Shaolin
Centra	Shogun
Flero	Jupiter
F2	

BAJAJ	
Boxer	
Calibre 110/115	
Croma	
Kawasaki 4s	
Champion	
Aspire 112	
Safire	
Discover	
Pulsar	
Ct 100	
Platina	
Eliminator	
Avenger	
Chetak	
Sunny	
Spirit	
Spice	
Rave	

LML	
Enegray	
Adreno	
Freedom	
Prima	
Topper	
Executive	
Grapl	
Beamer	
Crd 100	
Pulse	
Star Xp	
Select	
Supramo	
Prithvi	

HONDA	
Activa	
Dio	
Aviator	
Eterno	
Shine	
Twister	
Stunner	
Yuga	
Dream Neo	
Unicorn	
Dazzler	
CB Trigger	
CBR 250R	

YAMAHA	
Enticer	
Gladiator	
Fazer	
RX 100 / 135	
RXZ	
RXG	
Libero	
Crux	
YZF	
R15	
Fascino	
RAYZR	

MAHINDRA	
Flyte	
Rodeo	
Duro	
Kine	
Centuro	

4T - 20W-40
4T - 10W-30
4T - 10W-40
4T - 20W-50
4T - 15W-50
RANGE OF
ALL GRADE
API SL / SM / SN
AND
FULLY SYNTHETIC

ROYAL
ENFIELD

RECOMMENDATION FOR CAR SEGMENT

HONDA

Civic	3.7, 4 Ltr.
CR-V	3.7, 4 Ltr.
Honda City	3.7 Ltr.
WR-V	3.2 Ltr.
Jazz	3.7 Ltr.
Amaze P	3.2 Ltr.
Amaze D	4.2 Ltr.
Accord	4.5 Ltr.
BR-V P	4 Ltr.

5W-30 / 5W-40 / 20W-40
15W-40 / 20W-50
EP-90 / 80W-90

MAHINDRA

Thar	6.5 Ltr.
XUV 300 P	4 Ltr.
XUV 300 D	6 Ltr.
Bolero	6 Ltr.
XUV 500	6 Ltr.
Xylo	6 Ltr.
KUV 100 NXT	4 Ltr.
Verito D	3.5 Ltr.
Scorpio	7 Ltr.
Logan	4 Ltr.
Verito	4 Ltr.

5W-30 / 5W-40 / 20W-40
15W-40 / 20W-50
EP-90 / 80W-90

SKODA

Octavia	3.8, 4.3 Ltr.
Superb	3.5 Ltr.
Rapid P	3.5 Ltr.
Rapid D	4.3 Ltr.
Fabia	3.8 Ltr.
Laura	4.3 Ltr.

5W-30 / 5W-40
0W-40 / 80W-90

MERCEDES

C - Class	6.5 Ltr.
A - Class	4.5 Ltr.
G - Class	7 Ltr.
S - Class	8 Ltr.
E - Class	5.5 Ltr.
Benz GLA	5.8 Ltr.
GLC - Class	7.2 Ltr.
GLE	7.9 Ltr.
GLS	4.8 Ltr.
AMG GT	7.2 Ltr.
GLE Coupe	7 Ltr.
Benz Maybeach	6 Ltr.
Class Cabriolet	7.5 Ltr.
CLS Coupe	8 Ltr.

5W-30 / 5W-40 / 0W-40
80W-90 / 75W-90

BMW

3 Series	4.25 Ltr.
XS BMW	6.5 Ltr.
X1 BMW	5 Ltr.
X3 BMW	6.5 Ltr.
X6 BMW	8.5 Ltr.
BMW S-Series	4.25 Ltr.
X7 BMW	5 Ltr.
Z4 BMW	4 Ltr.
BMW Z-Series	7 Ltr.
BMW Z-Series	6 Ltr.
X4	4.8 Ltr.
Series 8	6.5 Ltr.
Series 6	6.5 Ltr.

5W-30 / 5W-40 / 0W-40
80W-90 / 75W-90

VOLKSWAGEN

Polo P	2.8 Ltr.
Polo D	4.3 Ltr.
Vento D	4.3 Ltr.
T-Roc	5 Ltr.
Tiguan	4 Ltr.
Jetta	4 Ltr.
Passat	4 Ltr.
Tourang	8 Ltr.
Betle	8 Ltr.

5W-30 / 5W-40 / 0W-40
80W-90 / 75W-90

FORD

Mustang	5.4 Ltr.
Eco-Sport D	4.2 Ltr.
Ford Figo	3.8 Ltr.
Aspire	3.5 Ltr.
Freestyle	3.5 Ltr.
Endeavor	6.6 Ltr.

5W-30 / 5W-40 / 15W-40
EP-90 / 80W-90 / 75W-90

RENAULT

Kwid	2.5 Ltr.
Duster D	4.5 Ltr.
Pulse Scala P	3.0 Ltr.
Duster P	4.5 Ltr.
Pulse Scala D	4.5 Ltr.

5W-30 / 5W-40 / 15W-40
EP-90 / 80W-90

MITSUBISHI

Pajero Sport	7.5 Ltr.
SFX D	
Lancer	4.0 Ltr.
Kedia P	4.0 Ltr.

5W-30 / 5W-40 / 15W-40
EP-90 / 80W-90

VOLVO

XC-60	6.5 Ltr.
XC-40	6.5 Ltr.
XC-90	5.5 Ltr.
V90	6.5 Ltr.
S90	6.5 Ltr.

5W-30 / 5W-40 / 0W-40
80W-90 / 75W-90

AUDI

A4	6.1 Ltr.
A5	6.1 Ltr.
A6	7 Ltr.
A8	6.1 Ltr.
A8L	7.6 Ltr.
RS7	8.3 Ltr.

5W-30 / 5W-40 / 0W-40
80W-90 / 75W-90





VOLUBIT[®]

LUBRICANT • ADDITIVES • AUTOMOTIVE
- AN ISO 9001:2015 CERTIFIED COMPANY -



MANUFACTURE UNIT & CORPORATE OFFICE ADDRESS.

VOLUBIT LUBRICANT INDUSTRIES

Plot No. 28 to 32, Shiv Bhakti Industrial, Village Sanki, B/H. Vijay Petrol Pump,
Kadodara to palsana Highway, NH-8, Karan, Surat - Gujarat - 394305



CUSTOMER CARE : **+91 84603 81603**
OFFICE : **+91 95 86 86 26 92 | 99 79 26 60 84**



www.volubit.in | www.volubitlubricants.com



info@volubitlubricants.com
care.volubitlubricants@gmail.com

SCAN ME



FOR A SOLUTION OF WONDERFUL ENGINE...